

Mar 23 2020

Certificate Holder: CELLFAST Sp. Zo.o.
Address: 37-450 Stalowa Wola ul. Grabskiego 31, Poland

Your Ref. SDHL2003001733GA

Dear Customer,

We enclose
Certificate No. 2531DL-0022 Rev. 00

This certificate applies to the product that has been tested by SGS and certified by DBIC according to our conditions for certification. We ask you to contact us in possible changes to the product (e.g. component, other construction, trade name or type changes) or to the certificate in order to let us ensure the continued validity of the certificate.

For more information on this certificate, please contact us.

Yours sincerely,
SGS-CSTC Standards Technical Services Co., Ltd.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shunde Branch Harbin

1F, Building European Industrial Park, No.1 Shunde South Road, Wusha Section, Daliang Town, Shunde, Foshan, Guangdong, China 528333 t (86-757)22805888 f (86-757)22805858 www.sgsgroup.com.cn
中国·广东·佛山市顺德区大良街道办事处五沙顺和南路1号欧洲工业园一号厂房黄层 邮编: 528333 t (86-757)22805888 f (86-757)22805858 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)

MODULE B: EU TYPE-EXAMINATION – PRODUCTION TYPE

Issued by DBI Certification, notified body No. 2531

The equipment identified below which was found to be in compliance with the essential requirements of the Regulation of Appliance burning gaseous fuels (EU) 2016/426 Annex III, 1, subject to any conditions in the description attached hereto.

Manufacturer CELLFAST Sp. Zo.o.
Address 37-450 Stalowa Wola
 ul. Grabskiego 31, Poland

Type of Appliance LPG Gas Regulator; LPG Gas Regulator with Gauge
Trade Mark Cellfast
Pin code 2531DL-0022
Specified Standards EN 16129:2013

Issue date 2020-03-23
Expiration date 2028-04-21
First issued 2020-03-23

Signed 
Name Thomas Anthony Wilson / Jesper Viggo Quaade
 Responsible for evaluation / Responsible for certification decision

Note:

This certificate will not be valid if the manufacturer makes any changes or modifications to the approved equipment, which have not been notified to, and agreed with the notified body named on this certificate. Demonstration of full compliance with the Gas Appliance Regulation (EU) 2016/426 an EU Surveillance Certificate (EU Declaration of Conformity to Type) is required.
 This certificate remains valid unless suspended or withdrawn, provided the conditions in the attached description are complied with and the equipment remains satisfactory in service.

Type/Model	C31-37	
Category		Country of destination
LPG ₍₃₇₎	All EU	
Test reports	SGS test report SDHL2003001733GA, 2020-03-18.	
Model	C31-37	
Gas type:	LPG	
Flow rate/ Capacity:	1.5 kg/h	
Inlet pressure:	0.3–16 bar	
Outlet pressure:	37 mbar	
Inlet connection	G1, G2, G4, G5, G7, G8, G9, G10, G11, G12	
Outlet connection	H1, H4, H50, H51, H53	
Temperature, °C :	-20 - 50	

End of Certificate